



JACKAL

IT Istruzioni di montaggio	ET Paigaldusjuhend	PT Instruções de Montagem
EN Fitting instructions	FI Asennusohje	RO Instrucțiuni de montare
DE Montageanleitung	HR Uputa za sastavljanje	RU Инструкции по установке
FR Instructions de montage	HU A felszerelés módja	SK Návod na montáž
ES Instrucciones de montaje	LT Pritvirtinimo instrukcijos	SL Navodila za pritrjevanje
BG инструкции за сглобяване	LV Stiprināšanas instrukcija	SV Monteringsanvisning
CS Návod na montáž	NL Montagehandleiding	TK Uydurma talimat
DA Monteringsvejledning	NO Monteringsanvisning	ZH 裝修指導
EL Οδηγίες συναρμολόγησης	PL Instrukcja montażu	AR كتيب التعليمات










**IT) Componenti (Inclusi) | EN) Components (Included) | FR) Composants (Comprises)
DE) Die Komponenten (im Lieferumfang enthalten) | ES) Componentes (Incluido)**




 3 x4	 4 x4	 5 x2	 6 x2
 7a 75mm / 3" x4	 8 x4	 9 5mm 0.2" x1	

**IT) Ricambi (A Richiesta) | EN) Spare Parts (Made to order) | DE) E Teile (auf Anfrage)
FR) Pièces de rechange (Sur commande) | ES) Piezas de recambio (Previa solicitud)**

②  x2 700007900000	③  x1 700025400000	④  x1 700025200000	<div>⑤</div> <div></div> <div>x1</div> <div rowspan="2">700052500000</div>	⑥  x1
+				
⑦a  75mm / 3" x4 700025900000	⑦b  90mm / 3.5" x4 000084800000	⑧  x4 700025000000	⑨  5mm 0.2" x1 700007800000	⑩  x2

APPLICATION LIST	
Jackal	Jackal XL
	



 Manufacturer / Model	 Doors	 Year	 Rails	 Screw
-----	-----	-----	-----	75mm/3"
-----	-----	-----	-----	OK






➔ ① pag.3

➔ ③ pag.4

①






75mm/3" Screw

x4





2

x4





3

x2




4



x2





5




6


**Raised rails****Flush rails**




7



- A1 → B1 = 25%
- A2 → B2 = 50%
- A3 → B3 = 75%
- A4 → B4 = 100%







6 Nm
4.4 lbf·ft




8




x4




9



x2



	Jackal 3,8kg / 8.4lb	MAX 75kg / 165 lb
Jackal XL 4kg / 8.8lb		




MAX LOAD : 75kg / 165lb

$$\text{A} + \text{B} \leq \text{MAX LOAD}$$

DYNAMIC

MAX PAYLOAD



STATIC



2,5x MAX PAYLOAD

