
FRONT RUNNER

QUICK RELEASE LATCHING STRAP FOR DOMETIC FRIDGES



STRA069



READ ME!

Thank you for purchasing a pair of Front Runner Quick Release Latching Straps.

Before you start, take a moment to familiarize yourself with the Fitting Instructions and the components received.

Refer to Page 2 for a list of all the components, quantities and tools required.

IMPORTANT WARNING! /!\

IT IS CRITICAL THAT ALL FRONT RUNNER PRODUCTS BE PROPERLY AND SECURELY ASSEMBLED AND ATTACHED TO YOUR VEHICLE. IMPROPER ATTACHMENT COULD RESULT IN AN AUTOMOBILE ACCIDENT, AND COULD CAUSE SERIOUS BODILY INJURY OR DEATH. YOU ARE RESPONSIBLE FOR ASSEMBLING AND SECURING ALL FRONT RUNNER PRODUCTS TO YOUR VEHICLE, CHECKING THE ATTACHMENTS PRIOR TO USE, AND PERIODICALLY INSPECTING THE PRODUCTS FOR ADJUSTMENT, WEAR AND DAMAGE. THEREFORE, YOU MUST READ AND UNDERSTAND ALL OF THE INSTRUCTIONS AND PRECAUTIONS SUPPLIED WITH YOUR FRONT RUNNER PRODUCT PRIOR TO INSTALLATION OR USE. IF YOU DO NOT UNDERSTAND ALL OF THE INSTRUCTIONS AND CAUTIONS, OR IF YOU HAVE NO MECHANICAL EXPERIENCE AND ARE NOT THOROUGHLY FAMILIAR WITH THE INSTALLATION PROCEDURES, YOU SHOULD HAVE THE PRODUCT INSTALLED BY A PROFESSIONAL INSTALLER OR OTHER QUALIFIED PERSONNEL.


NOTE: Front Runner will not be responsible for any damage caused by the failure to install the product according to these instructions.

Please call us if you have any questions about the installation of this product.

GET ORGANIZED


| 1 | IN THE BOX | | |
|---|------------|-----|------------------------------|
| | 1 | 2 X | Quick Release Latching Strap |
| | | | |
| | | | |
| | | | |

TOOLS NEEDED




FIT AND SECURE

2.1




Feed the latch end of the Quick Release Latching Strap through the handle of the fridge, then through the tie down points on the fridge slide.

2.2





- C) Loop the end of the strap through the latch bracket, as shown:
- Up and Over Slot 1
 Down and Under Slot 2
 Up and Over Slot 3

2.3



- Loop the end of the strap around the back of the bracket and back through Slot 1.
 - Pull tight.







INSTALL OTHER VEHICLE AND RACK ACCESSORIES

Now's the time to visit your favorite Front Runner Dealer in person or online.

Be sure to tag us. We love to see our gear in action! #FrontRunnerOutfitters #BornToRoam









5